

<b>Sl. No.</b>	<b>Machine Name</b>	<b>Detail Specifications</b>	<b>Quantity</b>	<b>Rate</b>	<b>Total</b>
1	Warping Drum	Sal Kath/best quality wood, 5meter,1.6mt, 2.5mt	2		
2	Iron storing rack/stand and other products	Almirah and Racks	LS		
3	Jacquard Looms at CFC	The maximum width that can be woven on the fly shuttle loom is 3.5-4 feet for durries with designs and 6 feet for plain durries. The weaver uses the beater (hattha) to push back the loose thread that tails the shuttle into the system of weft threads.	10		
4	Embroidery machines	Internationally known Brand-One dial for pattern selection ; Dimension of Box (LxWxH) mm: 384x207x290 ; Thread Tension Control: Manual ; Stitch Pattern Selector: Dial Type7 built-in stitches including 4-step button holing; Seven applications including lace fixing, quilting, smocking and rolled hemming Auto tripping bobbin system; drop feed for embroidery; manual needle threading; sewing light Sewing speed: 550SPM (Stitches Per Minute); Stitch length control; Triple strength stitch	1		
5	Interlocking machine	Internationally known Brand-Number of threads - 3. No of needles -1. S.p.m (SPEED PER MINUTE)- 3000Net weight / gross weight of machine - 13.5/12kg,Stitch length - 3 to 4mm .pressure foot lift- upto 5mm,3600 Stiches per minute .three thread for trimming,over edging for nylon and cotton vests garments or ready made garments etc	1		
6	Zig Zag machine	Juki Automatic-DDL-8100e, Automatic-lubricating full-rotary hook,Juki machine oild No. 7 (equivalent to ISO VG7),26 kg, 5mmSewing Speed 4500 sti/min,Lift Of The Presser Foot By Hand: 5.5 mm By Knee 13 mm	5		

7	Industrial Sewing Machine with chairs	(Industrial Direct Drive Sewing Machine, Internationally known Brand), Minimum: Sewing speed 5000 sti/min, Needle bar stroke-30.7mm, Feed dog height: 0.8mm, Needle-DBx1 (#11), #9-18, (Nm65-110), Lift of the presser foot- by hand: 5.5mm, By Knee: 15mm, Auto:8.5 mm, Size of bed 517x178mm (distance from needle to machine arm: 303mm), Bobbin thread winder-built-in the machine head, machine head drive-Compact AC servomotor (450W) that is directly connected to the main shaft (direct-drive system), Automatic reverse feed function-yes.	20		
8	Bamboo sending, buffing and polishing machine	Sand paper machine, buffering, Polishing 1hp moters	3		
9	Spray machine	Equipped with tank capacity of 20Lts and Motor 1 hp, Spray Gun pilot, Pipe 20fts	2		
10	Bamboo cutting machines	Bosch Jigsaw Wood Cutting Tool GST 65E (Blue)	2		
11	Bamboo treatment/dying tank	25 Lts Tank with stand for dying and treatment 3 fts X15fts tank.	5		
12	Bamboo splitting machines	50mm diameter. Power rating: 5 HP. Splitting length: Hydraulic operated 1.2 mtr. Power supply: 3 phase 415 V 50 Hz Ac supply.	2		
13	Four Side planner machine (Bamboo)	3HP Manual Wood Planer Machine, Motor: Single phase motor. Automatic	1		
14	Accessories and power tools for bamboo crafts	Chisel, hammer, measuring tape, Sawing, Sharpening, Strip making, Binding	LS		
15	Distribution of handicraft Tools	Chisel, hammer, measuring tape, Sawing	250		
16	Distribution of Looms (Improved Loin Loom)	Looms with tools, Stick, Thread stick	50		
17	Distribution of Looms (Improved Handloom)	Upgraded Looms with tools, Stick, Thread stick	60		

18	Sewing Machines for Distribution	Number of Stitches-31, Sewing Speed-860 SPM, Maximum Stitch width- 5 mm, Maximum stitch Length- 4 mm, built-in-needle threader, automatic thread cutter (Usha/ Singer)	160		
19	Calendaring Machine	Machine is used for calendaring and finishing to cloth. It also gives original size to the cloth which is shrunked while Dyeing, it also made M.S. Channel fixed with four roller with side roller and side stand	1		
20	Prim winding Charkha	Pirn Winder 16 spindle	5		
21	Yarn Dying Tank Accessories	Fabcare Stack Washer Dryer (15 Kg Capacity Each - Electrically Heated) Spotting machine with 2 spotting guns, suction blower. excellent for spotting. (without compressor)	1		
22	Eri Spinning machine	Motorised Pedal Spinning Machine	10		
23	Computerized embroidery machine.	10 Heads machine 18 Heads machine	5		
24	Distribution of Normal Looms	Stand wood frame 6 Post (Sal Kath/ best quality wood measuring post height 6.5 ft.width 4/4 ft.extra wood 3/3), Stand wood frame 4 post(Sal kath/ best quality wood) and accessories	50		
<b>Total</b>					